

APPLICATION NAME	TEXT DISPLAY	HTML DISPLAY	HTML	XML DISPLAY	XLINK	XPOINTER	OTHER ITEMS
BROWSER A		0	0	×	×	×	•
WORD PROCESSOR B	0	0	0	0	×	×	- -
BROWSER C	0	×	×	0	0	0	•
•	-	•	•	•	•		
(31-1	(31-2	(31-3	(31-4	(31-5	(31-6	(31-7	(31-8

4	<u>`</u>					
	OTHER ITEM	•	•	•	•	(41-6
ABLE	BURYING	×	×	0	•	(41-5
PROCESSING FUNCTION MANAGEMENT TABLE	POINTER CONVERSION	×	0	0	•	41-4
SSING FUNCTION	LINK	0	0	×	•	(41-3
	HTML CONVERSION	0	0	×	•	(41-2
FIG. 4B	PROCESSING NAME	BROWSER A	MORD PROCESSOR B	BROWSER C	•	(41-1

FIG. 4C

USER MAN	AGEMENT TABLE	(NO. 1)	90
USER IDENTIFIER	BROWSER NAME	REGISTERED APPLICATION NAME	
USER A	BROWSER A	APPLICATION A, D	
USER B	BROWSER A	APPLICATION B, E	
USER C	BROWSER B	APPLICATION C, F	
90-1	(90-2	90-3	}

FIG. 4D

. USER MAN	IAGEMENT TABLE	(NO. 2)	90
USER IDENTIFIER	KIND OF TERMINAL	LINK CONVERSION	
USER	DESKTOP	OFF	·
USER A	NOTEBOOK	ON	
USER B	HANDHELD TELEPHONE	ON	
90-1	90-4	⁽ 90-5	i








FIG. 6







CCONVERSION



9-1

CONVERSION

```
<title>TITLE</title>
<title>TITLE</title>
</iink xml:link="simple" href=" kiji-1.xml "acutate=""user" show="replace"/>
</link>
</link>
                                                                                    (d) .
                                                                               Cp>: SENTENCE STARTS</doc>
```

(400)	
<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	,-10-1-1
<pre><link/></pre>	
<pre>< y>: SENTENCE STARTS</pre>	

kiji-2. xml	↓ CONVERSION 10-2 10-3
<pre><doc> <title>:TITLE</title></doc></pre>	<pre><doc> <title>:TITLE</title></doc></pre>
k href="el/kiji-1. x	<pre><link href="e1/kiji-1. xml"/>:SENTENCE STARTS</pre>
//dnc>	(/dnr)

11-3 <locator href="el/kiji-1. xml#child(1, title)/>
<locator href="el/kiji-2. xml#child(1, title)/>
</link> <locator href="e2/kiji-n. xml#child(1, title)/>
<locator href="e1/kiji-1. xml#child(1, title)/> <kiji-1>
<title>:TITLE</title> kiji-1. xml (2) j.nk link

CONVERSION

<title>:TITLEREFERENCE 1REFERENCE 2</title> ⟨d/⟩ · · · · · :
 <kiji-1> SENTENCE STARTS. kiji-1. xml <kiji-1>

FIG. 12A

							-												í		<u> </u>
								<u>Γ</u> Ι΄	TL	Æ											Δ
									•	•					•		•			أ	
		•			•		•	•										٠			
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•						l	
-	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				▽
				•																	

FIG. 12B

TITLE REFERENCE1 REFERENCE2	Δ
	<u> </u>
	✓

FIG. 13	!	_13-2
(200)		(30p)
(header)		(header)
<title>:TITLE</title>		<title>:TITLE</title>
<pre><date>1999.8.15</date></pre>		<author>Tom Suzuki</author>
<pre><time>12:00 JST</time></pre>		
<pre><author>Tom Suzuki</author></pre>		<pre></pre>
<pre></pre>	_	\chapter \
		<pre><title>lst CHAPTER</title></pre>
<pre></pre> <pre>// Index/ // Citam / 1ct CHADTER/itam/</pre>	_	<pre></pre>
<pre><item> 2nd CHAPTER<item></item></item></pre>		\chapter> \ \chapter>
•••		<!--</td-->
<pre><item> nth CHAPTER<item></item></item></pre>		<pre>\link href="#(2.chapter)">GO TO THE NEXT.</pre>
<pre></pre>		
<pre><pre>chody></pre></pre>		
(chapter)	J	12.3
<pre></pre>		(doc)
⟨para⟩⟨para⟩		<pre><header></header></pre>
		<pre><title>TITLE</title></pre>
(chapter)		
<pre><title>2nd CHAPTER</title></pre>	_	<pre></pre>
<pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre></pre> <pre></pre>	$\widehat{\mathbb{L}}$	<pre><title>1st CHAPTER</title></pre>
	_	<pre><title>2nd CHAPTER</title></pre>
<pre></pre> <pre><</pre>		
		<pre><title>nth CHAPLEK</title></pre>
\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

FIG. 15A

15-1

doc> FUNCTION CHECK DISPLAY (title> FUNCTION CHECK DISPLAY (/title>

</link>

<CLICK THE LINK WHEN THE LINK IS DISPLAYED BELOW </p>
XLink POSSIBLE/

FIG. 15B

CLICK THE LINK WHEN THE LINK IS DIPLAYED BELOW

XLink POSSIBLE

FIG. 15C

CLICK THE LINK WHEN THE LINK IS DISPLAYED BELOW

XLink POSSIBLE